



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/562,463

02/19/2008

David Elata

P-8471-US

6216

49443 7590 09/13/2010
Pearl Cohen Zedek Latzer, LLP
1500 Broadway
12th Floor
New York, NY 10036

EXAMINER

BAYOU, AMENE SETEGNE

ART UNIT

PAPER NUMBER

3746

MAIL DATE

DELIVERY MODE

09/13/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/562,463	Applicant(s) ELATA ET AL.	
	Examiner AMENE S. BAYOU	Art Unit 3746	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 August 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,5-12 and 16-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,5-12 and 16-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 December 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114.

Applicant's submission filed on 08/20/10 has been entered.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 1,5-9,11-12 and 16-20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

4. In re claims 1 and 11 both recite “about the sheet axis” which is indefinite since it can not be ascertained through which point on the sheet the axis is passing through.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 3746

6. Claims 1,5-9,11-12 and 16-20 are rejected under 35 U.S.C 102(b) as being anticipated by Perlov et al (4498850).

7. In re claim 1, Perlov et al disclose a pumping apparatus including:

- A device ,**in figure 1**,for inducing motion on fluids or solids, the device comprising: a circular structure with a **deformable circular sheet (8;figure 1,2 and column 4,lines 35-39)** compressed to form a continuous structural axially symmetric wave (**figures 3A-3C ,27and 31 all show symmetric waves)** ; and an actuator (**electromagnet belts 19-31;column 6,lines 13-21**) for actuating the **deformable circular sheet (8)** and driving the structural wave in a predetermined manner and in a direction about the sheet axis (the sheet axis can be an axis passing through the center of the sheet both in axial and vertical direction).

8. In re claim 5, Perlov et al disclose a pumping apparatus including:

- A first wall is provided against the deformable sheet so as to define a **first conduit (6)** between the first wall and the **deformable sheet (8),figure 4**.

9. In re claim 6, Perlov et al disclose a pumping apparatus including:

- The **first conduit (6)**is provided with an **inlet (44)** and an **outlet (50)** ,**figure 4** .

10. In re claim 7, Perlov et al disclose a pumping apparatus including:

- A second wall positioned opposite the first wall, with the **deformable sheet (8)** between the walls, the second wall defining a second conduit

Art Unit: 3746

(also called as 6; figure 1) between the second wall and the
deformable sheet (8), figure 1.

11. In re claim 8, Perlov et al disclose a pumping apparatus including:

- The second conduit **(also called as 6; figure 1)** is provided with **an inlet (46) and an outlet (48), in figure 4.**

12. In re claim 9, Perlov et al disclose a pumping apparatus including:

- The actuator **(electromagnet belts 19-31;column 6,lines 13-21)** is selected from the group consisting of electrostatic actuators, piezoelectric actuators, thermoelastic actuators and magnetic actuators.

13. In regards to the claims **11-12, 16-20**, Perlov et al disclose a method of inducing motion on fluids since under the principles of inherency, if a prior art device, in its normal and usual operation, would necessarily perform the method claims, then the method claimed will be considered to be anticipated by the prior art device. When the prior art device is the same as a device described in the specification for carrying out the claimed method, it can be assumed the device will inherently perform the claimed process. In re King, 801 F.2d 1324,231 MPEP 2112.02”.

Claim Rejections - 35 USC § 103

14. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 3746

15. Claim 10 is rejected under 35 U.S.C 103(a) as being unpatentable over Perlov et al (4498850) as applied to claim 1 in view of Drevet (6659740).

16. In re claim 10 Perlov et al as applied to claim 1 disclose the claimed invention except the specific material the device is made from. But Drevet teach a similar vibrating fluid circulator including:

- At least **a part (21)** of the device is made from silicon. It would have been obvious to one skilled in the art at the time the invention was made to modify the pump of Perlov et al by making the diaphragm from silicone as taught by Drevet in order to accurately manufacture the device by photolithographic technique and also to use it in micro-fluidic pumping applications.

Response to Arguments

17. Applicant's arguments with respect to claims 1,5-12 and 16-20 have been considered but are not persuasive.

18. In re claims 1,5-12 and 16-20 applicant amended independent claims 1 and 11 and categorically argued that Perlov et al fail to teach or disclose the claim limitation as amended without providing any evidence how the claim limitations are not taught by the prior art. Nevertheless ,in the rejection of claims above examiner has clearly discussed how Perlov et al disclose the amended claim limitations.

Conclusion

19. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amene S. Bayou whose telephone number is 571-270-3214. The examiner can normally be reached on Monday-Thursday, 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Devon Kramer can be reached on 571-272-7118. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Art Unit: 3746

/Devon C Kramer/
Supervisory Patent Examiner, Art
Unit 3746

/Amene S Bayou/

Examiner, Art Unit 3746